

10/668,841

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36	337/79,332,376.ccls. and led	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 11:04
L4	2701549	led near\$2 reverse adj voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 11:13
L5	2278271	led near\$1 reverse adj voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 11:13
L6	5077	4 and "337"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 11:13
L7	116	6 and diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 11:54
L8	112	led and reverse adj voltage adj (protect\$4 block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 11:55
S6	47	("337"/\$.ccls. "324"/\$.ccls. "340"/\$. ccls. "116"/\$.ccls. "439"/\$.ccls.) and (resettable resetable selfrestoring self-restoring selfrestorable (self adj (restoring restorable))) adj fuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:50
S7	47	("337"/\$.ccls. "324"/\$.ccls. "340"/\$. ccls. "116"/\$.ccls. "439"/\$.ccls.) and ((resettable resetable selfrestoring self-restoring selfrestorable (self adj (restoring restorable))) adj fuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:09

10/668, 841

S8	12	S7 and led	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:51
S10	19	("337"/\$.ccls. "324"/\$.ccls. "340"/\$. ccls. "116"/\$.ccls. "439"/\$.ccls.) and (PTC adj (fuse element)) and led	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:13
S11	58	(PTC adj (fuse element)) and led and indicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 12:30
S12	420	"337"/\$.ccls. and fuse and indicat\$5 and led	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:25
S13	0	S12 and resistor and diod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:26
S14	22	S12 and resistor and diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:34
S15	51	S12 and resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:40
S16	11125	fuse and led and indicat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:44

10/668,841

S17	6301	S16 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:45
S18	4025	S17 and electrical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:45
S19	827	S18 and fault	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:47
S20	771	S19 and (load source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:48